



NAMBU Co., Ltd.

# LIQUID CLEANER

It is a powerful liquid-only cleaner that can use compressed air to transport substances, collect dust, and especially suck and discharge liquids (cutting fluid, oil, chip mixture, sludge mixture).



## Features

- Convenient to use and without breakdowns
- There is no rotating body and no electricity is used, so there is no risk of explosion.
- When inhaling a certain amount, the suction is automatically cut off by the shut-off valve.
- It is easy to clean water, cutting fluid, oil tank, remove sediment, suspended solids and residues.
- Alternative containers can be used. (200ℓ drum)
- The power source uses compressed air.
- It can suck in or discharge.

## Applications

- Suction and blow of liquids and chips, sludge mixtures
- Water, cutting fluid, oil tank cleaning
- Easy to remove sediment, suspended solids and residue
- Liquid discharge in drum and tank (TC50/TC100)



Cutting fluid



Oil chip mixture



Liquids



Cutting fluid removal

Classification		Vacuum level			Air consumption		Liquid suction
4kgf/cm <sup>2</sup>	57psi	253mmHg	3.439mmAq	135.4InchAq	756ℓ/min	26.5SCFM	80ℓ/min
5kgf/cm <sup>2</sup>	71psi	315mmHg	4.284mmAq	168.7InchAq	877ℓ/min	30.9SCFM	90ℓ/min
Size L×W×H		TC50 : 790×460×890, 20kg			TC100 : 865×585×987, 33kg		

- Weight : 20kg, Lift : 3m, Horizontal conveying : 15m